

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 11/25/2025 Version: 1.0

SECTION 1: Identification

1.1. Identification

Name : EXTRACTOR "MAX" + STAIN PROTECT
Product code : 1839

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Shark Ninja Operating LLC
89 A Street
Suite 100
Needham, 02494
United States
T 514-842-8691
SHao@sharkninja.com - www.sharkclean.com

1.4. Emergency telephone number

Emergency number : 1-800-222-1222

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Irrit. 2	H315	Causes skin irritation.
Eye Dam. 1	H318	Causes serious eye damage.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 1A	H350	May cause cancer.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of hazard classes and H-statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) :
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H350 - May cause cancer.

Precautionary statements (GHS US) :
H373 - May cause damage to organs through prolonged or repeated exposure
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust, fume, gas, mist, vapours, spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P310 - Immediately call a poison center or doctor.
P314 - Get medical advice or attention if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
SODIUM BICARBONATE	CAS-No.: 144-55-8	1 – 5
ETHYL HEXANOL ETHOXYLATED PROPOXYLATED-NON IONIC SURFACTANT-9	CAS-No.: 64366-70-7	1 – 5
CAPRYLYL/CAPRYL GLUCOSIDE Surfactant	CAS-No.: 68515-73-1	1.154 – 1.731
ETHANOL	CAS-No.: 64-17-5	1.2 – 1.6
SODIUM HYDROXIDE	CAS-No.: 1310-73-2	1 – 5
CYCLODEXTRIN DERIVATIVE	CAS-No.: PROPRIETARY	1 – 5
ETHYL HEXANOL ETHOXYLATED PROPOXYLATED-NON IONIC SURFACTANT-6	CAS-No.: 64366-70-7	1 – 5
SUMMER BREEZE	-	0.1 – 1

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : None under normal conditions.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up.
Packaging materials	: Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EXTRACTOR "MAX" + STAIN PROTECT	
No additional information available	
SODIUM HYDROXIDE 1310-73-2	
No additional information available	
USA - ACGIH - Occupational Exposure Limits	
Local name	Sodium hydroxide
ACGIH OEL C	2 mg/m ³
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Sodium hydroxide
OSHA PEL TWA	2 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
SODIUM BICARBONATE 144-55-8	
No additional information available	

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

ETHANOL 64-17-5

No additional information available

ETHYL HEXANOL ETHOXYLATED PROPOXYLATED-NON IONIC SURFACTANT-6 64366-70-7

No additional information available

CAPRYLYL/CAPRYL GLUCOSIDE 68515-73-1

No additional information available

CYCLODEXTRIN DERIVATIVE PROPRIETARY

No additional information available

SUMMER BREEZE

No additional information available

ETHYL HEXANOL ETHOXYLATED PROPOXYLATED-NON IONIC SURFACTANT-9 64366-70-7

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Mixture contains one or more component(s) which have the following colour(s):
White-brown Colourless White Colourless to white

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Odourless Alcohol odour Stuffy odour Mild odour
Odour threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

SODIUM BICARBONATE (144-55-8)

LD50 oral rat	> 4000 mg/kg (FIFRA (40 CFR), Rat, Male / female, Experimental value, Oral)
LC50 Inhalation - Rat	> 4.74 mg/l (EPA OTS 798.1150: Acute inhalation toxicity, 4.5 h, Rat, Male / female, Experimental value, Inhalation, 14 day(s))
ATE US (dust,mist)	1.5 mg/l/4h

CAPRYLYL/CAPRYL GLUCOSIDE (68515-73-1)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

ETHANOL (64-17-5)

IARC group	1 - Carcinogenic to humans
------------	----------------------------

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

CAPRYLYL/CAPRYL GLUCOSIDE (68515-73-1)

NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : None under normal conditions.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

SODIUM HYDROXIDE 1310-73-2

EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
----------------------	--

SODIUM BICARBONATE 144-55-8

LC50 - Fish [1]	7100 mg/l (EPA OPP 72-1, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, GLP)
-----------------	--

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SODIUM BICARBONATE144-55-8

EC50 - Crustacea [1]	4100 mg/l (EPA OPP 72-2, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value, GLP)
----------------------	--

CAPRYLYL/CAPRYL GLUCOSIDE68515-73-1

LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

12.2. Persistence and degradability

SODIUM HYDROXIDE1310-73-2

Persistence and degradability	Biodegradability: not applicable.
-------------------------------	-----------------------------------

SODIUM BICARBONATE144-55-8

Persistence and degradability	Biodegradability: not applicable.
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

SODIUM HYDROXIDE1310-73-2

Bioaccumulative potential	Does not contain bioaccumulative component(s).
---------------------------	--

SODIUM BICARBONATE144-55-8

Partition coefficient n-octanol/water (Log Pow)	-4.01 (Estimated value)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

SODIUM HYDROXIDE1310-73-2

Ecology - soil	No (test)data on mobility of the component(s) available.
----------------	--

SODIUM BICARBONATE144-55-8

Ecology - soil	No (test)data on mobility of the substance available.
----------------	---

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT
Transport hazard class(es) (DOT) : Not applicable

TDG
Transport hazard class(es) (TDG) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT)	: Not applicable
Packing group (TDG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT
No data available

TDG
No data available

IMDG
No data available

IATA
No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

CYCLODEXTRIN DERIVATIVE	CAS-No. PROPRIETARY	1 – 5%
SUMMER BREEZE	CAS-No.	0.1 – 1%

SODIUM HYDROXIDE1310-73-2

CERCLA RQ	1000 lb
-----------	---------

15.2. International regulations

CANADA

SODIUM HYDROXIDE1310-73-2

Listed on the Canadian DSL (Domestic Substances List)

SODIUM BICARBONATE144-55-8

Listed on the Canadian DSL (Domestic Substances List)

ETHANOL64-17-5

Listed on the Canadian DSL (Domestic Substances List)

ETHYL HEXANOL ETHOXYLATED PROPOXYLATED-NON IONIC SURFACTANT-664366-70-7

Listed on the Canadian DSL (Domestic Substances List)

CAPRYLYL/CAPRYL GLUCOSIDE68515-73-1

Listed on the Canadian DSL (Domestic Substances List)

ETHYL HEXANOL ETHOXYLATED PROPOXYLATED-NON IONIC SURFACTANT-964366-70-7

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

SODIUM BICARBONATE144-55-8

Listed on INSQ (Mexican National Inventory of Chemical Substances)

ETHANOL64-17-5

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

No additional information available

EXTRACTOR "MAX" + STAIN PROTECT

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 16: Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.